

XML Syntax Rules

The syntax rules of XML are very simple and logical. The rules are easy to learn, and easy to use.

XML Documents Must Have a Root Element

XML documents must contain one **root** element that is the **parent** of all other elements:

```
<root>
  <child>
    <subchild>.....</subchild>
  </child>
</root>
```

In this example **<note>** is the root element:

```
<?xml version="1.0" encoding="UTF-8"?>
<note>
  <to>Tove</to>
  <from>Jani</from>
  <heading>Reminder</heading>
  <body>Don't forget me this weekend!</body>
</note>
```

The XML Prolog

This line is called the XML **prolog**:

```
<?xml version="1.0" encoding="UTF-8"?>
```

The XML prolog is optional. If it exists, it must come first in the document.

XML documents can contain international characters, like Norwegian øæå or French êèé.

To avoid errors, you should specify the encoding used, or save your XML files as UTF-8.

UTF-8 is the default character encoding for XML documents.

Character encoding can be studied in our [Character Set Tutorial](#).

UTF-8 is also the default encoding for HTML5, CSS, JavaScript, PHP, and SQL.

All XML Elements Must Have a Closing Tag

In XML, it is illegal to omit the closing tag. All elements **must** have a closing tag:

```
<p>This is a paragraph.</p>  
<br />
```

Note: The XML prolog does not have a closing tag! This is not an error. The prolog is not a part of the XML document.

XML Tags are Case Sensitive

XML tags are case sensitive. The tag <Letter> is different from the tag <letter>.

Opening and closing tags must be written with the same case:

```
<message>This is correct</message>
```

"Opening and closing tags" are often referred to as "Start and end tags". Use whatever you prefer. It is exactly the same thing.

XML Elements Must be Properly Nested

In HTML, you might see improperly nested elements:

```
<b><i>This text is bold and italic</b></i>
```

In XML, all elements **must** be properly nested within each other:

```
<b><i>This text is bold and italic</i></b>
```

In the example above, "Properly nested" simply means that since the <i> element is opened inside the element, it must be closed inside the element.

XML Attribute Values Must Always be Quoted

XML elements can have attributes in name/value pairs just like in HTML.

In XML, the attribute values must always be quoted:

```
<note date="12/11/2007">  
  <to>Tove</to>  
  <from>Jani</from>  
</note>
```

Entity References

Some characters have a special meaning in XML.

If you place a character like "<" inside an XML element, it will generate an error because the parser interprets it as the start of a new element.

This will generate an XML error:

```
<message>salary < 1000</message>
```

To avoid this error, replace the "<" character with an **entity reference**:

```
<message>salary &lt; 1000</message>
```

There are 5 pre-defined entity references in XML:

<	<	less than
>	>	greater than
&	&	ampersand
'	'	apostrophe
"	"	quotation mark

Only < and & are strictly illegal in XML, but it is a good habit to replace > with > as well.

Comments in XML

The syntax for writing comments in XML is similar to that of HTML:

```
<!-- This is a comment -->
```

Two dashes in the middle of a comment are not allowed:

```
<!-- This is an invalid -- comment -->
```

White-space is Preserved in XML

XML does not truncate multiple white-spaces (HTML truncates multiple white-spaces to one single white-space):

XML: Hello Tove

HTML: Hello Tove

XML Stores New Line as LF

Windows applications store a new line as: carriage return and line feed (CR+LF).

Unix and Mac OSX uses LF.

Old Mac systems uses CR.

XML stores a new line as LF.

Well Formed XML

XML documents that conform to the syntax rules above are said to be "Well Formed" XML documents.